FLASHCHEF[™] High Speed Oven





FLASHCHEF[™] High Speed Oven



DUAL IMPINGEMENT DUAL EFFICIENCY

For the ever first time, FlashChef™ High Speed Oven is equipped with duo-impingement system that significantly speeds up the cooking.

Compared to traditional HSO that heats the food with impingement from the top, while convection from the bottom, FlashChef™ High Speed Oven simultaneously ejects impingement from both top and bottom.

The result? Ultra fast browning and crisping on both side of the food in a flash!





06

INVERTER ENABLED PERFECT FOOD ACHIEVABLE

With built-in inverter technology, FlashChefTM High Speed Oven is the first in the industry with such equipment Heat can be delivered uniformly to prevent over-heated or under-heated, thanks to the precise control and automatic power adjustment brought by inverter technology.


HEAT WITH ULTRA-SPEED DUO-MAGNETRON DESIGN

FlashChef™ High Speed Oven contains two magnetrons that speed up the cooking with up to 1000 watt microwave power output, saving up the heating time with outstanding efficiency.



6-STAGES COOKING MORE FLEXIBILITIES, MORE POSSIBILITIES

Up to 6 stages of cooking, FlashChef™ High Speed Oven allows the user to control which way to cook, and how much energy shall be delivered within the food throughout a cook cycle, offering more possibilities for the masterpiece.



7.84" HD TFT TOUCH SCREEN

7.8"HD TFT touch screen, largest screen in its class for easier reading.






BUILT-IN CAVITY LIGHT

Check the food status without even taking it out from the cavity with FlashChef™ High Speed Oven built-in cavity light. Brighter and clearer sight inside for perfect cook.





PRESS 'N EJECT AIR FILTER

The air filter is securely fixed by special design component. It can be detached simply by pressing, for easy cleaning.



LARGER CAVITY FOR HIGHER FLEXIBILITIES

FlashChef™ High Speed Oven has a large cavity that accommodates a 12" (30cm) pizza with ease.



SPACE-FRIENDLY FOOTPRINT

Fits into various places with a space-friendly footprint.



IDEAL MATCHING WITH MULTIPLE COLORS

FlashChef™ High Speed Oven provides 3 different colors that matches different environment ideally: from classic silver, to modern black and chic aqua.

Silver







STAINLESS STEEL FINISH FOR ULTIMATE DURABILITY

Built with stainless steel, FlashChef™ High Speed Oven meets the challenge of complicated commercial environment, for ultimate durability.



Model: G1-1




Main Features


OutstandingCookingPerformance


- + Dual impingement for ultra-fast browning and crisping on both sides of the food.
- + Dual magnetrons for high and consistent power output to save heating time.
- + Inverter Technology for the best microwave oven control.
- + Precisely control and adjust power for proper heating.
- + 6 cooking stages for more flexible and versatile applications.


UserFriendlyOperation

- + 8"/7.8"HD TFT touch screen, largest screen in its class for easier reading.
- + Intuitive icon control panel eliminates language barriers, just like operating a phone.
- + Auto-top menu function intelligently puts the frequently-use menu groups on top, for instant and convenient access.
- + Built-in cavity light provides brighter and clearer sight inside the interior. StylishAppearance
- + Large cavity accommodates a 12" (30cm) pizza with space-friendly footprint.
- + Stainless steel finish for easy maintenance and great appearance.









Top: 11" (300), Sides: 3" (100), Back: 3" (100)

	04.4
Model	G1-1
Dimensions	
Cavity Size (Liter/cu.ft.)	18.7 Liters
Cavity Interior	SUS 304
Cavity Dimension (WxDxH)	314 mm x 343 mm x 175 mm (12.4" \times 13.5" \times 6.9"inches)
Product Dimensions (WxDxH)	404 mm x 734 mm x 607 mm (15.9"x28.9"x23.9"inches)
Package Dimensions (WxDxH)	510 mm x 852 mm x 817 mm
Net Weight	60.5 kg
Gross Weight	86 kg (Wooden box)
Loading Capacity (20' / 40' / 40' HQ)	56 / 180 / 180 Pcs
Electrical specifications	
Electrical Power (Max)	3000W
Microwave Output Power (Inverter)	1000W
Impingement Power	3000 W 275° C
Supply Voltage	230 V,50Hz
Amps	16A
Plug Type	VDE
Technical Specifications	
Control Type	7.8"HD TFT Touch Screen
Temperature Range	93° C-275° C
Microwave Power Levels	0% to 100% in 1% Increments
Fan Power Levels	0% to 100% in 1% Increments
Auto Program	1024, Over 10 Categories
Stage Cooking	6 (Max.)
Max. Cooking Time	00:60:00-10:00 Min Per Stage
Connectivity	USB

EMC+CE

Certifications/Hoodless Cooking